





A beautiful range of Greenguard approved Solid Surfaces designed for New Zealand environments.

Tavolo is a 100% acrylic solid surface material known for its exceptional performance and modern appearance. The nonporous and hygienic properties of Tavolo make it easy to maintain and is suitable for a range of applications. Tavolo is a durable product that can be joined to create a seamless surface and thermoformed to specification.

Tavolo is suitable for a wide range use

- Benchtops
- Panels and facings
- Splashbacks
- Tabletops
- Furniture
- Tiles

Proven performance and versatility in key markets


- Residential
- Commercial
- Healthcare
- Education
- Food Service
- Retail




MINIMUM 6% RECYCLED CONTENT
PRE-CONSUMER



Tavolo Solid Surfaces Collection.



Frost FR001 G1 | ± 12/20mm




Coronet CO001 G1 | ± 12/20mm




Lake LA001 G3 | ± 12/20mm




Glacier GL001 G2 | ± 12/20mm



Champagne CH001 G2 | ± 12/20mm



Dune DU001 G1 | ± 12/20mm



Tasman TA001 G3 | ± 12/20mm



Cove CO003 G2 | ± 12mm




Valley VA001 G3 | ± 12mm



Cloud CL001

G3 | 12mm



River RI001

G1 | 12/20mm




Stone ST001

G2 | 12mm




Ash AS001

G2 | 12mm




Coast CO002

G1 | 12/20mm



Raven RA001

G2 | 12mm



Pattern

PA001

G1

12mm

Style

Product Code

Price Group

Slab Thickness

Please Note:

¹Printed swatches may vary in colour and pattern from actual Solid Surface, a sample request is recommended.

²Darker colours may require more maintenance.



Tavolo Solid Surfaces FAQ.

The Material:

Q: What is Tavolo?

A: TAVOLO is composed of acrylic resin and aluminium tri-hydrate, with pigments and stabilisers added. Acrylic is a durable material and is recyclable.

Q: What finishes are available in Tavolo countertops?

A: TAVOLO can be finished with a matte, semi-gloss or high-gloss finish. Our sales team can recommend the gloss level that will best suit your use.

Material Maintenance:

Q: What is the best way to clean Tavolo on a day-to-day basis?

A: Use soap and water to wipe clean. Ammonia-based cleaners, such as glass cleaner, are a great way to give the surface a streak-free shine.

The Tavolo Advantage:

Q: What is the advantage of Tavolo over laminates?

A: TAVOLO is a solid material which moisture will not penetrate. It is repairable and comes with a 10-year limited warranty. Laminates are non-repairable and have visible seams.

Q: What is the advantage of Tavolo wall tile?

A: TAVOLO has smooth, impenetrable seams, offers many machining and edge treatment options and is more impact-resistant than tile. Decorative wall tiles have seams where bacteria can accumulate. Grout between tiles must be cleaned frequently and can often crack.

Q: What is the advantage of Tavolo over Granite?

A: TAVOLO is nonporous with a smooth, seamless surface that is more impact-resistant and easier to fabricate than granite. Granite can become stained and may collect bacteria. Sealed granite countertops can be difficult to keep clean.

Tavolo Warranty:

Q: Does Tavolo have a warranty?

A: TAVOLO comes with a 10 year limited warranty. Terms and conditions apply.



Tavolo Solid Surface Product Comparison.

Product Comparison	Laminate	Granite	Quartz	Stainless	Tavolo
Resists Stains	—	—	—	•	•
Resists Heat	—	•	•	•	•
Resists Bacteria	—	—	•	•	•
Repairable	—	—	—	—	•
Inconspicuous Seams	—	—	—	—	•

Tavolo Solid Surface Performance Properties.

Property	Typical Result	Test
General		
Thickness	0.5 Inch (12mm)	N/A
Specific Gravity	1.7	ASTM D-792
Water Absorption (24 Hours)	0.04%	ASTM D-570
Mechanical		
Tensile Strength	6,000 psi	ASTM D-638
Flexural Strength	9,000 psi	ASTM D-790
Hardness	60 / 90	Barcol / Rockwell
Thermal Expansion	1.3" 10-6 in/in/°F	ASTM D-696
Impact Resistance	>125"	NEMA LD3-3 (1/2lb ball)
Surface		
Stain Resistance	Pass	ASNI 124.3 & 124.6 -2007
Boiling Water Resistance	No Change	NEMA LD3-3-5
High Temperature Resistance	No Change	NEMA LD3-3-6
Colour Stability	No Change	NEMA LD3-3-10
Fungi Resistance	No Growth after 28 days	ASTM G21
Bacteria & Germ Resistance	No Change	ASTM G-22
Fire and Heat		
Flammability	Class 1/A	UBC8-1 (NFPA No.255)
Flame Spread	Class 1/A (FSI @10)	ASTM E 84
Smoke Density	Class 1/A (SDI @5)	ASTM E 84
Certifications		
Food and Splash Zone	NSF Approved	NSF Standard 51
Children & School Surfaces	GREENGUARD Approved	GREENGUARD GOLD
Indoor Air Quality	GREENGUARD Approved	GREENGUARD Cert.Program
Recycled Content Material	Pre-Consumer 6%	SCS Global



MINIMUM 6% RECYCLED CONTENT PRE-CONSUMER



Tavolo Solid Surfaces
 102 Birch Ave, Judea
 Tauranga
 New Zealand
 T +64 7 578 2615
 info@tavolo.co.nz
 www.tavolo.co.nz

